

TCB**GRANT OF EQUIPMENT
AUTHORIZATION****TCB****Certification****Issued Under the Authority of the
Federal Communications Commission****By:****PHOENIX TESTLAB GmbH
Koenigswinkel 10
32825 Blomberg,
Germany****Date of Grant: 01/12/2023****Application Dated: 01/10/2023****Getac Technology Corporation
5F., Building A, No. 209, Sec. 1 Nangang., Rd.,
Taipei City, 11568
Taiwan****Attention: Kevin Chiang****NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is
VALID ONLY for the equipment identified hereon for use under the Commission's Rules
and Regulations listed below.

FCC IDENTIFIER: QYLAX211NG
Name of Grantee: Getac Technology Corporation
Equipment Class: Digital Transmission System
Notes: Wireless Module
Modular Type: Single Modular

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15C	2402.0 - 2480.0	0.009		
CC MO	15C	2412.0 - 2472.0	0.979		
CC MO	15C	2422.0 - 2462.0	0.836		

Power Output listed is conducted. Modular Approval. Power output has been reduced at the upper bandedge channels as shown in filings under this FCC ID. The antenna(s) used for this transmitter must not transmit simultaneously with any other antenna or transmitter, except in accordance with FCC multitransmitter product procedures. Grantee must provide installation and operating instructions for complying with FCC multi-transmitter product procedures. This module is approved in mobile/portable configurations. Only those antenna(s) tested with the device or similar antenna(s) with equal or lesser gain may be used with this transmitter. Grantee must coordinate with OEM integrator to determine applicable host configurations to ensure RF exposure compliance, including simultaneous transmission SAR requirements according to published KDB 616217 Supplement documentation. When all conditions of this filing cannot be met installation of this device into specific final products may require the submission of a permissive change application, containing appropriate data demonstrating compliance, or a new application. OEM/Host integrator must be provided with antenna installation instructions and transmitter operating conditions to satisfy RF exposure compliance. Device is a client only device containing a 2 x 2 MIMO configuration, enabled for either 2.4 or 5 GHz band operations as described in this filing. OEM/Host integrator is responsible for complying with the instructions and requirements for each transmitter they choose to integrate into a host product. The highest reported Body and Simultaneous SAR values are 0.49W/kg and 1.58W/kg respectively. This module is approved in portable/mobile configurations with antenna SkyCross reference Antenna, Type PIFA at 14mm minimum test separation distance.
SAR testing was performed to demonstrate RF compliance.

Class II Permissive Change for Reduce the WLAN Output Power through BIOS when device request approval for portable category specific Tablet PC, Getac, model number: UX10,

UX10G3, UX10-301, UX10-321, UX10-Ex, UX10Y (Y= 10 characters, Y can be 0 to 9, A to Z, a to z, “/”, “\”, “-”, “_” or blank for marketing purpose), with antennas UX10G3 WIFI MAIN ANT and UX10G3 WIFI AUX ANT. SAR compliance for body-carry configurations is limited to provision at least 0 cm separation between the device and the user's body. The highest reported SAR values for the body-worn and simultaneous transmission use conditions are 0.96 W/kg and 1.23 W/kg at 1g tissues, respectively.
The Host integrated with the other Wireless Module with WCDMA and LTE. FCC ID is QYLEM7511U, with antennas UX10G3 WWAN MAIN ANT and UX10G3 WWAN AUX ANT.

CC: This device is certified pursuant to two different Part 15 rules sections.

MO: This Multiple Input Multiple Output (MIMO) device was evaluated for multiple transmitted signals as indicated in the filing.